


I - Beams


6061-T6 American Standard
AMS QQ-A-200/16, ASTM B308,
ASTM B221, AMS 4150
25' Lengths



A (Inches)	B (Inches)	T (Inches)	Approx WT. Per FT.	Approx WT. Per Length
3.000	2.330	.170	1.963	49.075
	2.509	.349	2.591	64.775
3.000	2.660	.190	2.645	66.125
4.000	2.796	.326	3.283	82.075
5.000	3.000	.210	3.430	85.750
	3.284	.494	5.100	127.500
6.000	3.300	.230	4.302	107.550
	3.443	.343	5.099	127.475
8.000	4.000	.270	6.350	158.750
10.000	4.660	.310	8.761	219.025

I - Beams

6061-T6 Aluminum Association
 AMS QQ-A-200/16, ASTM B308,
 ASTM B221, AMS 4150
 25' Lengths




A (Inches)	B (Inches)	T-1 (Inches)	T-2 (Inches)	Approx WT. Per FT.	Approx WT. Per Length
3.000	2.500	.130	.200	1.637	40.925
	2.500	.150	.260	2.030	50.750
4.000	3.000	.150	.230	2.311	57.775
	3.000	.170	.290	2.793	69.825
5.000	3.500	.190	.320	3.700	92.500
6.000	4.000	.190	.290	4.030	100.750
	4.000	.210	.350	4.692	117.300
7.000	4.500	.230	.380	5.799	144.975
8.000	5.000	.230	.350	6.181	154.525
	5.000	.250	.410	7.023	175.575
10.000	6.000	.250	.410	8.647	216.175
	6.000	.290	.500	10.290	257.250
12.000	7.000	.310	.620	14.290	357.250

H-Beams

6061-T6

AMS QQ-A-200/16, ASTM B308,
ASTM B221, AMS 4150

25' Lengths




A (Inches)	B (Inches)	T (Inches)	Approx WT. Per FT.	Approx WT. Per Length
4.000	4.000	.313	4.757	118.925
5.000	5.000	.313	6.492	162.300
6.000	5.938	.250	7.854	196.350
	6.000	.313	8.298	207.450
	6.125	.438	9.180	229.500
8.000	7.938	.313	11.235	280.875
	8.000	.375	11.818	295.450
	8.125	.500	12.994	324.850

Wide Flange Beams

6061-T6

AMS QQ-A-200/16, ASTM B308,
ASTM B221, AMS 4150

25' Lengths



A (Inches)	B (Inches)	T-1 (Inches)	T-2 (Inches)	Approx WT. Per FT.	Approx WT. Per Length
6.000	4.000	.230	.279	4.160	104.000
	6.000	.240	.269	5.401	135.025
8.000	5.250	.230	.308	5.904	147.600
	6.500	.245	.398	8.322	208.050
	8.000	.288	.433	10.725	268.125
9.750	7.964	.292	.433	11.414	285.350
9.900	5.750	.240	.340	7.297	182.425
11.940	8.000	.294	.516	13.844	346.100
12.060	10.000	.354	.576	18.336	458.400