

Squares

2024-T351, T4 CF
QQ-A-225/6, ASTM B211,
AMS 4120
12' Lengths



Size	Decimal	Approx WT. Per FT.	Approx WT. Per Length
1/4	.250	.0758	.9096
1/2	.500	.2996	3.5952
5/8	.625	.4681	5.6172
3/4	.750	.6740	8.088
7/8	.875	.9174	11.0088
1	1.000	1.198	14.376
1 1/4	1.250	1.872	22.464
1 1/2	1.500	2.696	32.352
1 3/4	1.750	3.670	44.04
2	2.000	4.793	57.516
2 1/4	2.250	6.075	72.90
2 1/2	2.500	7.500	90.00
2 3/4	2.750	9.062	108.744
3	3.000	10.800	129.60
3 1/4	3.250	12.680	152.16
3 1/2	3.500	14.700	176.40
4	4.000	19.200	230.40

Squares

6061-T6511

AMS QQ-A-200/8,
ASTM B221, AMS 4173
12' Lengths



Size	Decimal	Approx WT. Per FT.	Approx WT. Per Length
1/4	.250	.0735	.882
3/8	.375	.1656	1.9872
1/2	.500	.2940	3.528
5/8	.625	.4586	5.5032
3/4	.750	.6595	7.914
7/8	.875	.8994	10.7928
1	1.000	1.176	14.112
1 1/4	1.250	1.838	22.056
1 1/2	1.500	2.646	31.752
1 5/8	1.625	3.169	38.028
1 3/4	1.750	3.598	43.176
2	2.000	4.704	56.448
2 1/4	2.250	5.947	71.364
2 1/2	2.500	7.343	88.116
2 3/4	2.750	8.884	106.608
3	3.000	10.570	126.84
3 1/4	3.250	12.422	149.064
3 1/2	3.500	14.390	172.68
4	4.000	18.80	225.60
4 1/2	4.500	23.814	285.768
5	5.000	29.400	352.80
5 1/2	5.500	35.574	426.888
6	6.000	42.236	506.832
7	7.000	58.800	705.60
8	8.000	76.800	921.60
9	9.000	97.200	1166.40
10	10.000	120.000	1440.00

Squares

6063-T52

AMS QQ-A-200/9,

ASTM B221

12' Lengths



Size	Decimal	Approx WT. Per FT.	Approx WT. Per Length
1/4	.250	.0735	.882
3/8	.375	.1656	1.9872
1/2	.500	.2940	3.528
5/8	.625	.4586	5.5032
3/4	.750	.6595	7.914
1	1.000	1.176	14.112
1 1/2	1.500	2.646	31.752
2	2.000	4.704	56.448

Squares

7075-T651 CF
AMS QQ-A-225/9,
ASTM B221, AMS 4123
12' Lengths



Size	Decimal	Approx WT. Per FT.	Approx WT. Per Length
1/4	.250	.0735	.882
3/8	.375	.1656	1.9872
1/2	.500	.2940	3.528
5/8	.625	.4586	5.5032
3/4	.750	.6595	7.914
1	1.000	1.176	14.112
1 1/2	1.500	2.646	31.752
2	2.000	4.704	56.448
3 1/2	3.500	14.700	176.40
4	4.000	19.400	232.80